Technical Specifications

4 WD (1900-2000) CC Vehicle Jeep

1 Unit

S.No	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1	General	4 WD Vahiala Jaan Dight Hand Drive model	SPECIFICATION Make:
1	General	4 WD Vehicle Jeep, Right Hand Drive model with two and four wheel drive, suitable for	Model:
		driving both in ON-ROAD condition and in	Model.
		OFF-ROAD conditions capable of delivering	
		strong adequate traction needed for safe driving	
		in rough, sandy or slippery and hilly road	
		conditions in Nepal.	
		Gross Vehicle Weight of the vehicle not less	
		than 2500 Kgs.	
2	Engine	(1900-2000) CC, 4 Stroke water cooled diesel	Make:
_	Liiginic	Engine, developing rated maximum Power	Model:
		output not less than 87 kW and maximum	Wiodel.
		Torque not less than 280 N-m at rated RPM	
		with an efficient fuel injection system. The	
		Engine shall be fully equipped with all necessary	
		items/ accessories and controlling devices for	
		safe, smooth, efficient, economical operation	
		and optimizing vehicle performance producing	
		lesser amount of palliative emissions.	
3	Emission	The emission standard of the offered vehicle	
	Standard	must be incompliance with or superior than the	
		applicable Standard as prescribed by "Nepal	
		Vehicle Mass Emission Standard 2069 (Euro	
		III)" which is to be certified by Department	
		of Transport Management.	
4	Gauges	Fitted with all the gauges, indicators, signals as	
		necessary for efficient operation, functional	
		monitoring, vehicle performance and	
		maintenance that includes(but not limited to)	
		Battery charge indicator, water temperature,	
		fuel, oil pressure, transmission gauge etc. with	
		all standard items of offered model vehicle	
5	Transmission	Manual shift, at least five forward and one	
		reverse, all forward synchromesh, floor	
		mounted, 4WD engaged through control at	
	0 1	driver.	
6	Ground	High ground clearance preferred, minimum	
	clearance	180 mm.	

7	Turning	Less Than 7 m
8	Radius Fuel Tank	Not Less Than 55 Ltr.
9	Suspension	
9	Suspension	Front: Double wishbone with coil spring and stabilizer, shock absorber.
		· ·
		Rear: Multi Link Coil Spring Suspension with anti Rollbar
10	Tymag	Standard Size
-	Tyres Dimensions	
11	Dimensions	Wheel Base (2600-2700)mm Overall Width Not Less Than 1800mm
		Overall Length Not Less Than 4450 mm Overall Height Not Less Than 1990mm
12	Staaring	
13	Steering Brakes	Hyadraulic Power Steering Erant Calinar Type Vertilated Disc. room drawn
13	Brakes	Front Caliper Type Ventilated Disc, rear drum type, and parking brake.
14	Cab	5 doors, all metallic cab with insulated roof,
14	Cab	right hand drive, laminated glass windscreen,
		wipers, glass windows on doors, through
		ventilation, comfortable and adjustable seats for
		driver and passenger, floor mats, two sun visors,
		and two side view mirrors and rear view mirror.
15	Chassis and	Steel, heavy duty high rigidity frame structure
13	Frame	suitable for rough road conditions with hook at
		front.
16	Essential	1.Head light, tail and rear light, reversing
	Accessories	light and turn signals
		2. Cabin lights
		3. Speedometer / Odometer
		4. Spare wheel with tyre and tube
		5. Front seat belt for driver and
		Co-passenger
		6. Air Conditioner
		7. Defroster/Heater
		8. Central Door Locking System
		9. Windows - Manual (Front/Rear)
		10. Suitable jack with handle
		11. Airbags & ABS
		To be equipped with all accessories offered in
		standard model catalogue provided by principal
1.7	T	manufacturer but not limited to the above items.
17	Instructions	All signs and instructions in the vehicle shall be in English.
18	Manuals	One copy of the Operator's and Owner's
	1,14114415	Instructions in English shall be supplied with
		vehicle.
L		

19	Tools	A set of tools, with a tool bag, as required for general maintenance shall be supplied.	
20	Color	Standard Color	
21	Proven	The bidder shall provide the manufacturer's data	
	performance	of the performance of the unit to include the fuel	
		consumption, performance curve of the engine	
22	Warranty	Manufacturer shall provide a minimum of one	
		year warranty after acceptance.	
23	Delivery	The Vehicle Jeep, RHD, (4X4), units shall be	
	-	delivered to: Pokhara University, Kaski, Nepal.	

Note: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid